	Application No.	Applicant(s)
Notice of Allowability	10/541,396 Examiner	MAEUSER, HELMUT Art Unit
<b>,</b>	·	
	Bruce F. Bell	1746
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communing GHTS. This application is substituted in the communication of the communicati	nis application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to <u>3/26/07</u> .		
2. The allowed claim(s) is/are <u>8-17</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority unally all blooms. Some* claim for foreign priority unall blooms.</li> <li>1.  Certified copies of the priority documents have</li> </ul>		(1).
Certified copies of the priority documents have		No
Copies of the certified copies of the priority documents have		
International Bureau (PCT Rule 17.2(a)).	cuments have been received in	it this national stage application from the
* Certified copies not received:		
Certified copies not received		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) ☐ including changes required by the Notice of Draftspers		PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date		the Office action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
·		·
Attachment(s)	_	
1. Notice of References Cited (PTO-892)		rmal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Therview Sum	nmary (PTO-413), ail Date
3. Information Disclosure Statements (PTO/SB/08),		mendment/Comment
Paper No./Mail Date 4.  Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's St	atement of Reasons for Allowance
of Biological Material	9.	
•		
·	•	
·		
		• 0

1. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to teach and/or suggest the use ofg two metal containing structures applied to a substrate. These two structures become two electrodes where in one functions as a cathode and the other will function as an anode with both being formed on a substrate. This appears to be different than typical protections systems used to reduce corrosion. Note for example in Fiorino et al where it states that the foregoing embodiments are performed by connecting the metal to be protected to one terminal of a source of alternating voltage and connecting a second terminal of the source to an electrode which is in contact with the surroundings of the metal. Thus both electrodes do not appear to be on the same substrate. Therefore, it appears that the prior art of record fails to teach and/or suggest applicants instant invention as stated in the instant claims presented.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce F. Bell whose telephone number is 571-272-1296. The examiner can normally be reached on Monday-Friday 6:30 AM - 3:00 PM.

Application/Control Number: 10/541,396

Art Unit: 1746

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on 571 272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BFB May 29, 2007 Bruce F. Bell
Primary Examiner
Art Unit 1746